

Material Safety Data Sheet

Primed Boards and Mouldings

1. Product and Company Identification

- Product Name: HighMark Primed Boards and Mouldings
- Product Use: Primed wood products used in interior and exterior trim applications
- Manufacturer: OI Wood Products PO Box 1221, Fall City, WA, 98007, USA

Telephone Number: (206) 795-1553

Email: <u>skrueger@oi-wood.com</u>

2. Composition and Information on Ingredients

Chemical Name: N/A

Chemical Formula: N/A

Hazardous Ingredients:

Wood>95%Calcium Carbonate>3%Polyvinyl acetate>2%

3. Hazards Identification

Health hazard to people

Inhalation: Wood dust and chalk may cause irritation to nose, throat and lungs resulting in breathing difficulty.



Material Safety Data Sheet

Primed Boards and Mouldings

Eye Contact:	Saw dust may irritate the eyes.
Skin Contact:	Saw dust may cause mild dermatitis or skin sensitivity

4. First Aid Measures

Inhalation:	Remove victim to fresh air. If breathing is labored ensure airways are clear and have a qualified person give oxygen through a facemask. Seek medical advice.
Eye Contact:	Irrigate with flowing water for 15 minutes. Seek medical assistance if effects persist.
Skin Contact:	Wash contaminated skin and clean with plenty of soap and water.
Ingestion:	If conscious, give plenty of water to drink. Do not induce vomiting. Seek medical assistance. If vomiting occurs, place the victims face downward, with the head turned to the side and lower than the hips to prevent vomit from entering the lungs.

5. Fire Fighting Measures

Flash Point: N/A

Flammable Limits: LFL: N/A UFL: N/A

Extinguishing Media: Water, carbon dioxide, sand

6. Handling and Storage



Material Safety Data Sheet Primed Boards and Mouldings

Precautions: When storing product, the material should be kept off the ground. Store in a cool, dry place and away from heat, flames, sparks and other sources of ignition.

7. Exposure Controls and Personal Protection

- Respiratory: A NIOSH/MSHA approved dust respirator is recommended, especially when sawing or cutting
- Protective Gloves: Cloth, canvas or leather gloves are recommended to minimize potential slivers or mechanical irritation from product handling.
- Eye Protection: Goggles or safety glasses are recommended when machining this product and in areas with high dust levels.
- Personal Hygiene: Wash hands thoroughly with soap and water after working with this product and before eating, drinking or using the restroom to avoid direct hand to month contact with soiled hands.

8. Physical and Chemical Properties

- Appearance: Products appear as standard primed solid wood.
- Flash Point: N/A
- Vapor Point: N/A
- Flammability Limits: N/A
- Ignition Temp: over 400°F
- Solubility in Water: Not soluble

HIGHMARK

Material Safety Data Sheet

Primed Boards and Mouldings

9. Stability and Reactivity

Stability: Stable

Condition to Avoid: Avoid open flame, product may ignite if temperatures exceed 400°F

Hazardous Polymerization: will not occur

Sensitivity to Mechanical Impact: N/A

Sensitivity to Static Discharge: N/A

10. Toxicological Information

Toxicity Data: N/A

11. Ecological Information

Instability: Stable under normal conditions

Degradability: N/A

Environmental effects: N/A

12. Disposal Considerations

Disposal Guidance: Dispose of in accordance with local state and federal regulations



Material Safety Data Sheet Primed Boards and Mouldings

Important:

OI Wood Products is not responsible if the product is not used in accordance with the recommendations delivered in this safety data sheet. The information contained in this Material Safety Data Sheet is based on the experience of occupational health and safety professionals and comes from sources believed to be accurate or otherwise technically correct. The is the user's responsibility to determine if the product is suitable for the proposed application(s) and to follow necessary safety precautions. The user has the responsibility to make sure this sheet is the most up to date issue.

October 2018

Prepared by: OI Wood Products