SAFETY DATA SHEET

Issue Date 27-May-2015

Revision Date 03-Jul-2019

Version 3

1. IDENTIFICATION

Product identifier Product Name

Wolmanized® Outdoor® Wood

Other means of identification Product Code Synonyms

23455 Copper Azole Treated Wood

Recommended use of the chemical and restrictions on useRecommended UseTreated Wood.

Details of the supplier of the safety data sheetSupplier AddressManufacturer AddressCustomers and Licensees of:Arch Treatment Technologies, Inc - ALonza Company3941 Bonsal RoadConley, GA 30288

Emergency telephone number Company Phone Number 24 Hour Emergency Phone Number Emergency Telephone

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 3
Serious eye damage/eye irritation	Category 2B
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3

Label elements

Emergency Overview

Danger

Hazard statements May cause cancer Causes eye irritation May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause an allergic skin reaction May cause respiratory irritation Causes mild skin irritation



Odor No information available

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Causes mild skin irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Synonyms

Copper Azole Treated Wood.

Chemical Name	CAS No.	Weight-%	Trade Secret
Wood and Wood Dust	NOT ASSIGNED	99 - 100	
Copper Ethanolamine Complex	14215-52-2	0.1 - 1	

4. FIRST AID MEASURES

Description of first aid measures

General advice

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Eye contactImmediately flush with plenty of water. After initial flushing, remove any contact lenses and
continue flushing for at least 15 minutes. Do not rub affected area.

Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.			
Inhalation	Remove to fresh air. Call a physician immediately. If not breathing, give artificial respiration.			
Ingestion	If swallowed, call a poison control center or physician immediately. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.			
Most important symptoms and effects, both acute and delayed				
Symptoms	See Section 11: TOXICOLOGICAL INFORMATION.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.			

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO2). Water spray or fog.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

In the event of fire and/or explosion do not breathe fumes. May cause sensitization in susceptible persons.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation, especially in confined areas.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	See Section 12: ECOLOGICAL INFORMATION.	
Methods and material for containme	ent and cleaning up	
Methods for containment	Cover powder spill with plastic sheet or tarp to minimize spreading.	

Methods for cleaning up	Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly. Pick up and transfer to properly labeled container After cleaning, flush away traces with water. Take precautionary measures against static discharges.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Do not burn treated wood. Do not use pressure treated chips or sawdust as mulch. Use with local exhaust ventilation. May form combustible dust concentrations in air. Take precautionary measures against static discharges. Avoid contact with skin, eyes or clothir Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Do not breathe dust/mist/vapors/spray.	
Conditions for safe storage, includi	ng any incompatibilities	
Storage Conditions	Avoid generation of dust.	
Incompatible materials	None known based on information supplied.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH		
Wood and Wood Dust	1.0 mg/m ³ Inhalable,	15 mg/m ³ Total Dust	-		
NOT ASSIGNED	0.5 mg/m ³ Inhalable Western Red	5.0 mg/m ³ Respirable Fraction			
	Cedar				
Appropriate engineering contro	DIS				
Engineering Controls	Showers. Eyewash stations. Ventilation: Saw, cut or machine wood outdoors or in well ventilated areas. Due to the explosive potential of dust when suspended in air, precautions should be taken when sawing, sanding, or machining wood or wood products to prevent sparks or other ignition sources. If required, use wet methods and/or explosion suppression systems to reduce generation of dust. Local exhaust ventilation is recommended when sawing, sanding, or machining this product. General dilution ventilation is recommended in processing and storage areas.				
Individual protection measures	Individual protection measures, such as personal protective equipment				
Eye/face protection	Use safety glasses with side shields or chemical goggles when sawing or cutting treated or untreated wood.				
Skin and body protection	Wear leather gloves. Wear long sleeve shirt, pants, and steel-toed shoes when handling treated or untreated wood.				
Respiratory protection	None normally required. When sawing or cutting treated or untreated wood, wear a NIOSH approved N95 or better dust mask.				
General Hygiene Consideratior	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Take off all contaminated clothing and wash it before reuse. Avoid contact with skin, eyes or clothing. Wash face, hands and any exposed skin thoroughly after handling.				

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color

Property pН Melting point / freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Relative densitv** Water solubility Solubility in other solvents **Partition coefficient** Autoignition temperature **Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties**

Other Information

Softening point Molecular weight VOC Content (%) Density Bulk density Solid No information available Slightly green

Values

No information available No information available No information available

No information available No information available

No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available

No information available No information available No information available No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Odor Odor threshold No information available No information available

Remarks • Method

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	WOOD and WOOD DUST :. May cause cancer. May cause sensitization by inhalation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Eye contact	WOOD and WOOD DUST :. Irritating to eyes.
Skin contact	WOOD and WOOD DUST :. May cause irritation. May cause allergic skin reaction.
Ingestion	WOOD and WOOD DUST :. Harmful if swallowed.

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chemical Name	ACGIH	IARC	NTP	OSHA
Wood and Wood Dust NOT ASSIGNED	Х	Group 1	Х	x

IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

Numerical measures of toxicity - Product Information

ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-gas) ATEmix (inhalation-dust/mist) ATEmix (inhalation-vapor)

Numerical measures of toxicity

12. ECOLOGICAL INFORMATION

Ecotoxicity

Persistence and degradability No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). Dispose of in accordance with federal, state and local regulations.

Contaminated packaging No information available.

14. TRANSPORT INFORMATION

DOT

Not regulated

	15. REGULATORY INFORMATION
International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Copper Ethanolamine Complex is expressed as Copper

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper Ethanolamine Complex 14215-52-2	-	Х	-	-

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Copper Ethanolamine Complex	-	Х	-
14215-52-2			

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Wood and Wood Dust - NOT ASSIGNED	Carcinogen	

Warning: This wood contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Dipropylene glycol methyl ether 34590-94-8	Х	Х	Х
Propiconazole 60207-90-1	Х	-	-

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 2	Flammability	1	Instability 0	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 2	Flammability	1	Physical hazards 0	Personal protection X
Issue Date Revision Date	27-May-2015 03-Jul-2019				

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet