SAFETY DATA SHEET

KOP-COAT

Revision Date 25-Nov-2015

Version 2

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name

WOODLIFE® 111 (READY-TO-USE)

Product code 129

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Restrictions on use Wood preservative No information available

1.3 Details of the supplier of the safety data sheet

Supplier

Kop-Coat, Inc. Protection Products 5137 Southwest Avenue St. Louis, MO 63110 (314) 772-2200

1.4 Emergency telephone number

Emergency telephone number

Chemtrec: +1 703-527-3887 ex-USA Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Skin corrosion/irritation	Category 2
Carcinogenicity	Category 2
Reproductive toxicity	Category 2
Aspiration toxicity	Category 1
Flammable liquids	Category 3

2.2 Label elements

Signal Word

Danger

Hazard Statements

Causes skin irritation
Suspected of causing cancer
Suspected of damaging fertility or the unborn child
May be fatal if swallowed and enters airways
Flammable liquid and vapor



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/Bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

Unknown Acute Toxicity

< 1% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

Substance Not applicable

Mixture

Chemical Name	CAS-No	Weight %
Distillates, petroleum, hydrotreated light	64742-47-8	80 - 90
Co-Solvent	Proprietary	5 - 10
High Boiling ketones	Proprietary	1 - 5
3-iodo-2-propynyl butyl carbamate	55406-53-6	< 1
Tebuconazole	107534-96-3	< 1
Propiconazole	60207-90-1	< 1
Methyl isobutyl ketone	108-10-1	< 1

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice For further assistance, contact your local Poison Control Center.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Tilt the head to prevent chemical from transferring

to the uncontaminated eye. Call a poison control center or doctor for treatment advice.

Skin contact Wash contaminated clothing before reuse. Wash off immediately with plenty of water for at

least 15 minutes. Remove contaminated clothing and shoes. Call a poison control center or

doctor for treatment advice.

Inhalation If not breathing, give artificial respiration. Move victim to fresh air. If breathing is difficult,

give oxygen. Call a poison control center or doctor for treatment advice.

Ingestion Call a physician or poison control center immediately. Do NOT induce vomiting. If a person

vomits when lying on his back, place him in the recovery position. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician There is no specific antidote for effects from overexposure to this material. Treat

symptomatically.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Foam. Carbon dioxide (CO₂). Dry chemical. Water may be used to cool and prevent the rupture of containers that are exposed to the heat from a fire. Water spray or fog.

Unsuitable Extinguishing Media Water may be unsuitable for extinguishing fires.

5.2 Special hazards arising from the substance or mixture

Special Hazard

Thermal decomposition can lead to release of irritating gases and vapors Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks) Vapors may travel to areas away from work site before igniting/flashing back to vapor source

Hazardous Combustion Products Possible formation of carbon oxides, nitrogen oxides, and hazardous organic compounds.

Explosion Data

Sensitivity to Mechanical Impact Not sensitive.

Sensitivity to Static Discharge Yes

5.3 Advice for firefighters

Evacuate personnel to safe areas. Move non-burning material, as feasible, to a safe location as soon as possible. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thoroughly decontaminate all protective equipment after use. DO NOT extinguish a fire resulting from the flow of flammable liquid until the flow of the liquid is effectively shut off. This precaution will help prevent the accumulation of an explosive vapor-air mixture after the initial fire is extinguished. Cool containers with flooding quantities of water until well after fire is out.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ensure adequate ventilation. Stop leak if you can do it without risk. Refer to protective measures listed in sections 7 and 8. Avoid exceeding of the given occupational exposure limits (see section 8). Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill. Avoid contact with skin, eyes and clothing.

6.2 Environmental precautions

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Take precautionary measures against static discharges. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Ground and bond containers when transferring material.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Use according to package label instructions. Empty containers may retain product residue or vapor. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Avoid contact with skin, eyes and clothing. Ground and bond containers when transferring material. No smoking.

Hygiene measures

Remove and wash contaminated clothing before re-use. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep in properly labeled containers. Keep container tightly closed in a dry and well-ventilated place. Keep away from food, drink and animal feedingstuffs. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in accordance with local regulations.

Materials to Avoid

No materials to be especially mentioned.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Distillates, petroleum, hydrotreated light 64742-47-8	-	<u>-</u>	TWA: 200 mg/m³ Skin			
Methyl isobutyl ketone 108-10-1	STEL: 75 ppm TWA: 20 ppm	TWA: 100 ppm TWA: 410 mg/m ³	TWA: 20 ppm STEL: 75 ppm	TWA: 50 ppm TWA: 205 mg/m³ STEL: 75 ppm STEL: 307 mg/m³	TWA: 50 ppm TWA: 205 mg/m ³ STEL: 75 ppm STEL: 307 mg/m ³	TWA: 20 ppm STEL: 75 ppm

8.2 Appropriate engineering controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection

Safety glasses with side-shields. If splashes are likely to occur, wear:, Tightly fitting safety

goggles. Face-shield.

Skin and body protection

Remove and wash contaminated clothing before re-use. Solvent-resistant gloves, Nitrile rubber. Neoprene gloves. Impervious butyl rubber gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. Long sleeved clothing, Protective shoes or

boots.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Hygiene measures

See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

Liquid Clear liquid

Appearance Color

Clear

Odor

Hvdrocarbon-like

Odor Threshold

No information available

Property

Values

рΗ

Remarks • Methods No information available

No information available No information available

Melting/freezing point Boiling point/boiling range Flash Point

no data available 41 °C / 106 °F

Evaporation rate

< 1

0.78

<= 20 mm2/s

Butyl acetate=1 No information available

Flammability (solid, gas)

Flammability Limits in Air

No information available No information available

upper flammability limit lower flammability limit

No information available

Vapor pressure

No information available

Vapor density Specific Gravity

Water solubility

No information available No information available No information available

Solubility in other solvents Partition coefficient Autoignition temperature

No information available No information available

Decomposition temperature

Viscosity, kinematic Viscosity, dynamic

No information available

Explosive properties Oxidizing Properties

No information available No information available

9.2 Other information

Volatile organic compounds (VOC) 6.41 lb/gal

content

Density

6.5

10. Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Keep away from heat, sparks and flames.

10.5 Incompatible Materials

No materials to be especially mentioned.

10.6 Hazardous Decomposition Products

None under normal use conditions. Thermal decomposition can lead to release of irritating gases and vapors.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

LD50 Oral:	LD50 Dermal:	LC50 (Dust/Mist)	LC50 (Vapor)
> 5000 mg/kg	> 5000 mg/kg	> 2.03 mg/L	-

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity

< 1% of the mixture consists of ingredient(s) of unknown toxicity

Oral LD50

38,654.00 mg/kg

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates, petroleum, hydrotreated light 64742-47-8	5000 mg/kg(Rat)	> 2000 mg/kg(Rabbit)	> 5.2 mg/L (Rat) 4 h
Co-Solvent	> 5,000 mg/kg (rat)	-	-
3-iodo-2-propynyl butyl carbamate 55406-53-6	1100 mg/kg (Rat)	-	-
Tebuconazole 107534-96-3	=	-	> 800 mg/m³ (Rat)4 h
Propiconazole 60207-90-1	-		= 1264 mg/m³ (Rat)4 h
Methyl isobutyl ketone 108-10-1	2080 mg/kg (Rat)	= 3000 mg/kg(Rabbit)	> 2000 ppm (Rat) 4 h

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

- No information available Component Information
- No information available

Eye damage/irritation

Product Information

No information available

Component Information

No information available

Respiratory or skin sensitization

Product Information

· No information available

Component Information

No information available

Germ cell mutagenicity

Product Information

· No information available

Component Information

· No information available

Carcinogenicity

Product Information

- The table below indicates whether each agency has listed any ingredient as a carcinogen
- This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B) Component Information
- · Contains a known or suspected carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
Methyl isobutyl ketone	-	Group 2B	-	
108-10-1		·		

Reproductive toxicity

Product Information

No information available

Component Information

• Tebuconazole caused developmental toxicity in animal studies. The U.S. EPA under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the European Union under the Biocidal Products Regulation (BPR) have reviewed the full toxicological database for tebuconazole as well as occupational exposure use patterns related to wood preservative use. Both agencies determined the risks for humans and the environment were within acceptable limits when used in accordance with the approved label instructions.

STOT - single exposure

No information available

STOT - repeated exposure

· No information available

Other adverse effects

Product Information

· No information available

Component Information

· No information available

Aspiration hazard

Product Information

· Risk of serious damage to the lungs (by aspiration)

Component Information

No information available

12. Ecological information

25-Nov-2015 - 12980 - 2 - AGHS - English -

Page 7 / 10

12.1 Toxicity

Ecotoxicity

No information available

4.194501401 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic Invertebrates
Distillates, petroleum, hydrotreated light 64742-47-8	<u>-</u>	LC50: 96 h Pimephales promelas 45 mg/L flow-through LC50: 96 h Lepomis macrochirus 2.2 mg/L static LC50: 96 h Oncorhynchus mykiss 2.4 mg/L static	-
Co-Solvent		LC50: 96 h Brachydanio rerio 50 mg/L static	-
3-iodo-2-propynyl butyl carbamate 55406-53-6	-	LC50: 96 h Lepomis macrochirus 0.14 - 0.32 mg/L flow-through LC50: 96 h Oncorhynchus mykiss 0.049 - 0.079 mg/L flow-through LC50: 96 h Oncorhynchus mykiss 0.05 - 0.089 mg/L LC50: 96 h Pimephales promelas 0.18 - 0.23 mg/L flow-through	-
Propiconazole 60207-90-1	-	LC50: 96-hr Trout 5,3 mg/L	-
Methyl isobutyl ketone 108-10-1	EC50: 96 h Pseudokirchneriella subcapitata 400 mg/L	LC50: 96 h Pimephales promelas 496 - 514 mg/L flow-through	EC50: 48 h Daphnia magna 170 mg/L

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

Chemical Name	log Pow
Methyl isobutyl ketone	1.19
108-10-1	

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

Note

This product is not regulated by US DOT when shipped by ground in containers < 119

gallons.

DOT

UN/ID No

NA1993, Combustible liquid, n.o.s. (mineral spirits), 3, III

MEX

no data available

25-Nov-2015 - 12980 - 2 - AGHS - English -

Page 8/10

IMDG

Proper shipping name

UN1306, Wood preservatives, liquid, 3, III

IATA

Proper shipping name

UN1306, Wood preservatives, liquid, 3, III

15. Regulatory information

This product is exempt from listing on the US TSCA 8 (b) inventory and the Canadian DSL/NDSL inventories because it is a registered pesticide in the United States and Canada.

15.1 International Inventories

TSCA	Complies
DSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-
NZIoC	-

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

15.3 Pesticide Information

Canada Pest Control Products Act Registration Number 30584

U.S. EPA Pesticide Information

EPA Pesticide Registration Number 60061-103

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

CAUTION. Avoid contact with skin and clothing.

15.4 U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
	Camornia Prop. 05

25-Nov-2015 - 12980 - 2 - AGHS - English -

Page 9/10

Methyl isobutyl ketone - 108-10-1	Carcinogen Developmental
Toluene - 108-88-3	Developmental Female Reproductive
Ethylbenzene - 100-41-4	Carcinogen
Naphthalene - 91-20-3	Carcinogen
Benzene - 71-43-2	Carcinogen Developmental Male Reproductive

16. Other information

NFPA Health Hazard 2 Flammability 2 Instability 0 Physical and chemical hazards *

HMIS Health Hazard 2* Flammability 2 Physical Hazard 0 Personal protection X

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Revision Date

25-Nov-2015

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet